



You're in for the
ride of your life.

Welcome to our Zero-Turn Mowers brochure.

It's full of helpful information and handy pictures that'll tell you plenty about our rugged, commercial-quality zero-turn mowers. They're the only ones professional enough to carry the Massey Ferguson name.

Of course, there's a lot of other folks making zero-turn mowers these days. That's why we want to help you weed through all the fluff and get right down to what's really important to you. After all, Massey Ferguson has been designing, engineering and building equipment you can rely on and trust – generation after generation.

So, have a seat and turn the page. Take your time, and look around. Because we believe that, once you study our brochure, you'll come face to face with the zero-turn mower of your dreams.

It's all about your reputation. You're stacking yours against your competition. Or maybe you're just taking on your neighbor for bragging rights. Either way, no zero-turn mowers know how to make you look good like ours do.

Enough Gratification to Go Around.

You see, whether you're a professional landscaper or an estate owner, you'll appreciate how we designed our zero-turn mowers to deliver a professional-quality cut every time. We let you choose from two high-performance models and three mower decks, so it's easy to get the zero-turn mower that's just the one for you. And every zero-turn mower we make is pure Massey Ferguson, through and through.

That means you get rugged, commercial-grade construction – the kind you'd expect from a company that has more tractors on the job worldwide than any other brand. We're talking about features like a reliable three-cylinder liquid-cooled diesel engine – the kind that not only delivers superior torque characteristics, but also sips fuel efficiently.

And we don't just want you to be comfortable with our mowers' performance. We want you to be comfortable. Period. So, we put comfort-grip steering levers at your fingertips. And we give you a high-back, adjustable spring-suspension seat to make a long day's work less of a pain in the backside.

All in all, it makes for one reliable, versatile, consistent line of zero-turn mowers – the kind that'll let you run circles around your competitors.

Cut corners, turn a profit and grow your business with a Massey Ferguson zero-turn mower.



MODEL	HP	MOWER DECKS	CHOOSE ONE TO FIT YOUR NEEDS
ZT29	29	60", 72" Standard and 72" High Volume	A professional-quality cut for estate owners with large lawns or smaller pastures or for professional landscapers who serve homeowners, smaller office parks or corporate campuses.
ZT33	33	60", 72" Standard and 72" High Volume	Delivers more horsepower to get bigger jobs done faster, whether it's a golf course, large office park, or industrial campus. Add the high-volume 72" mower deck with extra-deep tunnel for even greater output.

ZT 29



ZT 33



Our zero-turn mowers are designed to enhance your productivity and heighten the pure enjoyment of being out on your land, out on your own.

Best all-around mower.

We didn't design and build our zero-turn mowers to compete with the others out there. We created them to blow the others away.

That's why we included features like dual hydrostatic transmission pumps and motors, rugged liquid-cooled diesel engines, hydraulically controlled deck height adjustment and an electro-hydraulic PTO.

We even designed our zero-turn mowers to keep you safer and more comfortable, so putting in a hard day's work is almost as easy for you as it is for your Massey Ferguson zero-turn mower.



Mower Deck

Available in 60", 72" standard or 72" high volume, this single piece, pressed steel deck design is rugged and reliable. The high volume mower has an extra-deep wind tunnel to move material through in less time.



Anti-Scalp Rollers

Adjustable anti-scalp rollers are located on each of the four corners of the mower (caster type on front). Three fixed rollers are located in the center. Together, these anti-scalp rollers help protect valuable turf.



Deluxe Seat

The high-back deluxe seat provides maximum comfort with fore/aft adjustment, retractable seat belt, dual arm rests, and spring suspension for a smooth, comfortable ride.



Control Levers

Individual comfort-grip steering levers control forward and reverse travel at each wheel.



Folding ROPS

Standard Folding ROPS folds to 90-degrees without tools to easily fit into an enclosed trailer or garage.



Transmission

Two hydrostatic pumps and two hydrostatic motors with gear reductions at the drive axle provide long life and excellent performance.



Engine

The 3-cylinder liquid-cooled diesel engine provides rugged power, excellent torque, and maintains optimum fuel efficiency to keep operating costs low.



PTO Clutch

An electro-hydraulically engaged multi-disc wet clutch engages and disengages the mower deck through the use of the yellow knob on the right hand control console.



Simple to maintain
and easy to own.

A great deal includes a great dealer. Our network of Massey Ferguson dealers can advise you and support you through the selection process, the buying process, through operation, maintenance and beyond.

Controls centralized where you need them.



- 1 The electro-hydraulically engaged independent PTO makes mowing quick and easy.
- 2 Simply turn the dial to adjust deck height – from 1” to 4.5”.
- 3 A large fuel gauge in full view ensures you never get caught walking back to the truck.
- 4 Indicator lights make it easy to keep an eye on your ZT’s vital systems.
- 5 An integrated glow-plug position on the ignition switch helps you take on those cool, early-morning jobs.
- 6 The ease of our hydraulic deck lift will spoil you, so you will never want to use a manual lift system again.
- 7 The hour meter takes the guess work out of service intervals.
- 8 The comfortable throttle control lever gets you up to speed quickly.

Another Thing We Cut Is Maintenance Time.



Tilt Hood

The tilt hood offers complete access to the engine compartment for easy service and inspection.



Air Filter

The air filter is located on the left side of the engine for easy access and service.



Hydraulic Oil Check

Hydraulic oil check and fill port are positioned on the right side of the engine compartment for quick and convenient inspection and service.



Engine Oil Check and Fill Port

An engine oil dipstick is located on the right side. The spin on oil filter is located on left side, with convenient fill port location on top of the valve cover.



Belt Cover

The belt cover allows for quick access, easy maintenance and protection from the elements.



Mower Deck

Mower deck can be raised 45 degrees for servicing by utilizing the jack lift system.

If this introduction to the zero-turn mowers has sparked your interest, contact your dealer and test drive one today. Meanwhile, tell a friend. Share the joy.



MODEL	ZT29	ZT33
Engines		
Gross engine HP	29*	33*
Rated engine speed	2,500	2,600
Type	3 cylinder diesel	3 cylinder diesel
Displacement: in ³ (cc)	89.3 (1,463)	91.4 (1,498)
Cooling system	Liquid cooled	Liquid cooled
Fuel tank capacity: gal (l)	9.5 (36)	9.5 (36)
Transmission	2 HST w/gear reduction	2 HST w/gear reduction
Forward travel speeds: mph (kph)	0-10.2 (0-16.3)	0-10.6 (0-17)
Reverse travel speeds: mph (kph)	0-4.7 (0-7.5)	0-5 (0-8)
Brake system	2 internal expanding shoes	
PTO	Electro-hydraulic engagement	
Operator Area		
Platform type	Semi-flat	
ROPS	Folding	
Seat type	Deluxe suspended w/armrests	
Seat belt type	Retractable	
Hood type	Flip-up	
Dimensions		
Overall length	91.3 (2,320)	
Minimum overall width w/o mower: in. (mm)	58.3 (1,480)	
Maximum overall width w/o mower: in. (mm)	65.4 (1,660)	
Maximum height over ROPS down: in. (mm)	50.8 (1,290)	
Maximum height over ROPS up: in. (mm)	76.8 (1,950)	
Ground clearance w/o mower: in. (mm)	6.7 (170)	
Ground clearance with mower: in. (mm)	5.9 (150)	
Wheelbase: in. (mm)	57.1 (1,450)	
Shipping weight w/o mower: lbs. (kg)	1,367 (620)	
Mower Specifications		
Number of blades	3	
Cutting width: in. (mm) - Blade tip speed: fpm		
60 (1,524) standard	16,490	17,155
72 (1,830) standard	16,704	17,378
72 (1,830) high volume	16,864	17,545
Discharge	Right side	
Drive	Shaft	
Lift	Hydraulic	
Cutting height: in. (mm)	1-4.5 (25-115)	
Cutting height adjustment	Dial	
Adjustment increments: in. (mm)	0.5 (13)	
Number of settings	8	
Anti-scalp wheels	Pin adjustable	
Front	3	
Rear	4	
Overall width: in. (mm)		
60 inch standard	74.8 (1,900)	
72 inch standard	86 (2,185)	
72 inch heavy-duty	90 (2,285)	
Weight: lbs. (kg)		
60 inch standard	265 (120)	
72 inch standard	287 (130)	
72 inch heavy-duty	309 (140)	

* Manufacturer's estimate.



Zero-Turn Mowers
masseyferguson.com



AGCO ANSWERS

(877) 525-4384 agcoanswers@agcocorp.com



Play It Safe. Work Safely.

©2010 AGCO Corporation. All rights reserved. This document and all of its contents are owned exclusively by AGCO and are protected by copyright law. AGCO has a corporate policy of continuous product improvement and development; therefore, specifications are subject to change without any advance notice. AGCO is not responsible for differences between the specifications or illustrations contained in this publication and the actual equipment. Equipment produced by other manufacturers is shown in photographs in this brochure for the purpose of illustration only and is not intended as an endorsement of that particular equipment or its suitability. All rights reserved. AGCO, 4205 River Green Parkway, Duluth, GA 30096.



MASSEY FERGUSON is a registered trademark of AGCO.
(877) 525-4384 • MF08310 RP (I2) 5 PD

AGCO, Your Agriculture Company, is a premier manufacturer of agricultural equipment, providing high-tech solutions for professional farmers feeding the world. The company is dedicated to delivering superior customer service, innovation and quality. AGCO products are distributed in more than 140 countries worldwide.



MIX
Paper from
responsible sources
FSC® C010364

We proudly support:

